

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
	:	Examiner: Thierry L. Pham
TOMOHIRO GOMI	)	
	:	Group Art Unit: 2625
Appl. No.: 09/664,383	)	
	:	Confirmation No.: 4743
Filed: September 18, 2000	)	
	:	
For: PRINTING SYSTEM FOR PRINTING	)	
INTERRUPT JOBS	:	
	)	
Patent No.: US 7,190,469 B1	:	
	)	
Issued: March 13, 2007	:	January 16, 2009

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to an error which appear in the printed patent as a result of a Patent and Trademark Office mistake. A Certificate of Correction form (Form PTO-1050) is enclosed.

Any fees necessary in connection with this Certificate of Correction may be deducted from Deposit Account No. 06-1205.

Patentee's undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Mark A. Williamson/

---

Mark A. Williamson  
Attorney for Patentee  
Registration No. 33,628

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

MAW:eyw

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

**PATENT NO.** : US 7,190,469 B1

**DATED** : March 13, 2007

**INVENTOR(S)** : GOMI

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 8:**

Line 51, "0x016: Job size" should read --0x016a: Job size--.

**MAILING ADDRESS OF SENDER:**

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

**PATENT NO.** US 7,190,469 B1

No. of add'l. copies  
@ 30¢ per page

